

RoHS TEST REPORT

For

Kids GPS Watches

GW100, GW200, GW300, GW400, GW500, GW600, GW700, GW800, GW900, GW1000, GW100S, GW200S, GW300S, GW400S, GW500S, GW600S, GW700S, GW800S, GW900S,

Model No.: GW1000S,Q50, H1, EW100, EW200, EW300, EW400, EW500,

EW600, EW700, EW800, EW900, EW1000,

EW100S, EW200S, EW300S, EW400S, EW500S, EW600S

EW700S, EW800S, EW900S, EW1000S

Applicant: Shenzhen Wonlex Technology Co., Ltd.

Room 807, Shi Feng Building, 6267 Bao'an Road, Bao'an

District, Shenzhen, China.

Manufacturer: Shenzhen Wonlex Technology Co., Ltd.

2nd Floor, Building D, Funing Hi-tech Industry Park, Xintian

Road, Bao'an District, Shenzhen City, China.

Issued By: Global-Standard Testing Service Co., Ltd.

Room 1911-1914, Noble Placa Qian Jin 1st Road, Bao An

district. Shefizhen, Guandona, China.

Tel: +86 755 338 3599

Email: market@gstslab.com


Report Number: GST1512241260R

Issued Date: December 29, 2015

Date of Report: December 29, 2015

Note:

- 1. The test data and result is based on the tested sample only.
- 2. Please verify information in the report on GST web: www.gstslab.com through report number.
- 3. All rights reserve, the pirate edition investigates necessarily! This report shall not be reproduced unless under the authority of Global-Standard Testing Service Co., Ltd.





Analyzed by GC-MS

Lead(Pb), Cadmium(Cd) Weigh sample and place it in a Digest sample in microwave Add digestion reagent microwave digestion vessel digestion oven Checked by appropriate measurements Residue Filtration Make up with Analyzed by ICP-OES Solution deionized water Mercury(Hg) Digest sample in microwave Weigh sample and place it in a Add digestion reagent microwave digestion vessel digestion oven Checked by appropriate measurements Residue Filtration Make up with Analyzed by ICP-OES Solution deionized water 3. Hexavalent Chromium (Cr(VI)) Weigh sample and place Add digestion solution Heat at 90-95°C for 3 hours it in a conical flask Adjust the pH value Add test solution Cool and filter of the solution Adjust the pH value Make up with Analyzed by UV-Vis of the solution deionized water Polybrominated Biphenyls (PBBs), Polybrominated Diphenyl Ethers(PBDEs) HBCDD, DBP, DEHP, BBP Weigh sample and Extracted with Concentrate the extract place it in a thimble organic solvent

Make up with

organic solvent

Transfer the extract into a

volumetric flask




Method Detection Limit (MDL) in wet chemical test

Test Items	Pb	Cd	Hg	PBBs & PBDEs
Unit	mg/kg	mg/kg	mg/kg	mg/kg
MDL	2	2	2	2

Result	:	Pass
Conclusion	:	An independent evaluation on the above-mentioned product(s) has been conducted pursuant to 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment, and concluded that the equipment under evaluation met the legislative requirements of this directive.








Test Data Summary

SAMP LE NO.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of testing(mg/kg)	Chemical testing limit (mg/kg)	Conclusio n (P/F)
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
4	Red Plastic	PBBs	D	N.D.	<1000	Р
1	Red Plastic	PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
_	Mhita Dlastia	PBBs	D	N.D.	<1000	Р
2	White Plastic	PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
3	Golden Metal	PBBs	D	1	<1000	/
3	Golden Metal	PBDEs	D	1	<1000	/
		HBCDD	D	1	<1000	/
		DEHP	D	1	<1000	/
		DBP	D	1	<1000	/
		BBP	D	1	<1000	/
		Cd	Р	N.D.	<100	Р
4		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
	Rutton	PBBs	D	N.D.	<1000	Р
•	Button	PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р





SAMP LE NO.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of testing(mg/kg)	Chemical testing limit (mg/kg)	Conclusio n (P/F)
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
5	Silvery Plastic	PBBs	D	N.D.	<1000	Р
	Silvery Flastic	PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
0	D - 11	PBBs	D	N.D.	<1000	Р
6	Battery	PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р
		Cd	Р	N.D.	<100	Р
	USB	Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
_		PBBs	D	1	<1000	N/A
7		PBDEs	D	1	<1000	N/A
		HBCDD	D	1	<1000	N/A
		DEHP	D	1	<1000	N/A
		DBP	D	1	<1000	N/A
		BBP	D	1	<1000	N/A
		Cd	Р	N.D.	<100	Р
8		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
		PBBs	D	N.D.	<1000	Р
	Indutance	PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р





SAMP LE NO.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of testing(mg/kg)	Chemical testing limit (mg/kg)	Conclusio n (P/F)
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
9	Congoitore	PBBs	D	N.D.	<1000	Р
9	Capacitors	PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
10	Docietore	PBBs	D	N.D.	<1000	Р
10	Resistors	PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р
		Cd	Р	N.D.	<100	Р
	Diodes	Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
11		PBBs	D	N.D.	<1000	Р
11		PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
12		Pb	Р	N.D.	<1000	Р
	IC	PBBs	D	N.D.	<1000	Р
		PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р





SAMP LE NO.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of testing(mg/kg)	Chemical testing limit (mg/kg)	Conclusio n (P/F)
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
40	la fa an al color	PBBs	D	N.D.	<1000	Р
13	Internal wire	PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
	•	PBBs	D	1	<1000	N/A
14	Soldering tin	PBDEs	D	1	<1000	N/A
		HBCDD	D	1	<1000	N/A
		DEHP	D	1	<1000	N/A
		DBP	D	1	<1000	N/A
		BBP	D	1	<1000	N/A
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
	202	PBBs	D	N.D.	<1000	Р
15	PCB	PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
16		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
	D-5 C	PBBs	D	N.D.	<1000	Р
	Painting	PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р



SAMP LE NO.	COMPONENTS	Item	Results of EDXRF (P/F/D)	Results of testing(mg/kg)	Chemical testing limit (mg/kg)	Conclusio n (P/F)
		Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
13	LCD	PBBs	D	N.D.	<1000	Р
13	LCD	PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р
	Gule	Cd	Р	N.D.	<100	Р
		Cr	Р	N.D.	<1000	Р
		Hg	Р	N.D.	<1000	Р
		Pb	Р	N.D.	<1000	Р
14		PBBs	D	N.D.	<1000	Р
14		PBDEs	D	N.D.	<1000	Р
		HBCDD	D	N.D.	<1000	Р
		DEHP	D	N.D.	<1000	Р
		DBP	D	N.D.	<1000	Р
		BBP	D	N.D.	<1000	Р


Note:

(1) N.D. = Not detected (<MDL)

(2) ppm = mg/kg

(3) N.A. = Not Analyzed

(4) Negative = the concentration of Hexavalent Chromium extracted from 50cm² sample is less than the detection limit.





Appendix 1

Photo documentation

Photo 1

View:

[√] Front

[] Rear

[] Right side

[] Left side

[] Top

[]

[] Internal

Bottom



Photo 2

View:

[] Front

[√] Rear

[] Right side

[] Left side

[] Top

[] Bottom

[] Internal






Photo 3

View:

[] Front

[√] Rear

[] Right side

[] Left side

[] Top

[] Bottom

[] Internal




Photo 4

View:

[] Front

[] Rear

[] Right side

[] Left side

[] Top

[] Bottom

[√] Internal






Photo 5

View:

[] Front

[] Rear

[] Right side

[] Left side

[] Top

[] Bottom

[√] Internal




Photo 6

View:

[] Front

[] Rear

[] Right side

[] Left side

[] Top

[] Bottom

[√] Internal






Photo 7

View:

[] Front

[] Rear

[] Right side

[] Left side

[] Top

[] Bottom

[√] Internal



Photo 8

View:

[] Front

[] Rear

[] Right side

[] Left side

[] Top

[] Bottom

[√] Internal



--END.--